

**SECTION 1: Identification****1.1. Product identifier**

Product form : Mixture  
Product name : DR Foam

**1.2. Recommended use and restrictions on use**

Recommended use : Additives  
Restrictions on use : No data available

**1.3. Supplier**

DrilRite Chemical  
LLC 702 Blackjack St  
Winnsboro, TX 75494  
United States  
T 903-347-6797  
www.drilrite.net

**1.4. Emergency telephone number**

Emergency number : CHEMTREC (800) 424-9300

**SECTION 2: Hazard identification****2.1. Classification of the substance or mixture****Classification (GHS CA)**

Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 2	H319	Causes serious eye irritation
Specific target organ toxicity (repeated exposure) Category 2	H373	May cause damage to organs through prolonged or repeated exposure

Full text of H statements : see section 16

**2.2. GHS Label elements, including precautionary statements****GHS CA labeling**

Hazard pictograms (GHS CA)



Signal word (GHS CA) : Warning

Hazard statements (GHS CA)

: H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS CA)

: P260 - Do not breathe mist, spray, vapors.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P280 - Wear eye protection, face protection, protective clothing, protective gloves.  
P302+P352 - IF ON SKIN: Wash with plenty of water.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P314 - Get medical advice/attention if you feel unwell.  
P332+P313 - If skin irritation occurs: Get medical advice/attention.

# DR Foam

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

P337+P313 - If eye irritation persists: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS CA)

No data available

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	Conc. (% w/w)	Classification (GHS CA)
Ammonium Alkyl Ether Sulfate	-	-	20 – 35	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
3-Amino-N-(carboxymethyl)-N,N-dimethyl 1-propanaminium N-coco acyl derivs., hydroxides, inner salts	3-Amino-N-(carboxymethyl)-N,N-dimethyl 1-propanaminium N-coco acyl derivs., hydroxides, inner salts	CAS-No.: 61789-40-0	15 – 25	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
2-Butoxyethanol ; Ethylene glycol monobutyl ether	2-Butoxyethanol ; Ethylene glycol monobutyl ether	CAS-No.: 111-76-2	2.5 – 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT RE 2, H373
Glycerol	Glycerol Glycerin, Glycerine, 1,2,3-Propanetriol	CAS-No.: 56-81-5	0.5 – 2.5	Not classified

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

- |                                       |   |
|---------------------------------------|---|
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.                                |
| First-aid measures after skin contact | : Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Take off contaminated clothing.     |
| First-aid measures after eye contact  | : Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |

# DR Foam

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

First-aid measures after ingestion	: Rinse mouth thoroughly with water. Call a poison center/doctor/physician if you feel unwell.
First-aid measures general	: Get medical advice/attention if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	: May cause respiratory irritation. May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Possible irritation of mucous membranes and digestive tract, nausea, vomiting.

### 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

### 5.2. Unsuitable extinguishing media

No additional information available

### 5.3. Specific hazards arising from the hazardous product

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

### 5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Mark out the contaminated area with signs and prevent access to unauthorized personnel. Ensure adequate ventilation. Avoid breathing dust, mist or spray. Remove all sources of ignition.
------------------	--

### 6.2. Methods and materials for containment and cleaning up

Methods for cleaning up	: Take up liquid spill into absorbent material. Collect all waste in suitable and labeled containers and dispose according to local legislation.
Other information	: Dispose of materials or solid residues at an authorized site.

### 6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin and eyes. Do not breathe mist, spray, vapors. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Handle in accordance with good industrial hygiene and safety procedures. Wash contaminated clothing before reuse.

# DR Foam

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Keep cool.
Incompatible materials	: Strong oxidizing agents.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

2-Butoxyethanol ; Ethylene glycol monobutyl ether (111-76-2)	
Canada (Alberta) - Occupational Exposure Limits	
Local name	2-Butoxyethanol (Ethylene glycol monobutyl ether)
OEL TWA	97 mg/m <sup>3</sup>
OEL TWA [ppm]	20 ppm
Notations and remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.
Regulatory reference	Alberta Regulation 191/2021
Canada (Quebec) - Occupational Exposure Limits	
Local name	2-Butoxyethanol (Butyl cellosolve®)
VEMP (OEL TWA) [ppm]	20 ppm
Notations and remarks	C3
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
Canada (British Columbia) - Occupational Exposure Limits	
Local name	2-Butoxyethanol (EGBE)
OEL TWA [ppm]	20 ppm
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
Canada (Manitoba) - Occupational Exposure Limits	
Local name	2-Butoxyethanol (EGBE)
OEL TWA [ppm]	20 ppm
Notations and remarks	TLV® Basis: Eye & URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI
Regulatory reference	ACGIH 2022
Canada (Newfoundland and Labrador) - Occupational Exposure Limits	
Local name	2-Butoxyethanol (EGBE)
OEL TWA [ppm]	20 ppm
Notations and remarks	TLV® Basis: Eye & URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI
Regulatory reference	ACGIH 2022
Canada (Nova Scotia) - Occupational Exposure Limits	
Local name	2-Butoxyethanol (EGBE)
OEL TWA [ppm]	20 ppm

# DR Foam

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

2-Butoxyethanol ; Ethylene glycol monobutyl ether (111-76-2)	
Notations and remarks	TLV® Basis: Eye & URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI
Regulatory reference	ACGIH 2022
Canada (Nunavut) - Occupational Exposure Limits	
Local name	2-Butoxyethanol (Butyl Cellosolve or EGBE)
OEL TWA [ppm]	20 ppm
OEL STEL [ppm]	30 ppm
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
Canada (Northwest Territories) - Occupational Exposure Limits	
Local name	2-Butoxyethanol (Butyl Cellosolve or EGBE)
OEL TWA [ppm]	20 ppm
OEL STEL [ppm]	30 ppm
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)
Canada (Ontario) - Occupational Exposure Limits	
Local name	2-Butoxyethanol (EGBE)
OEL TWA [ppm]	20 ppm
Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833
Canada (Prince Edward Island) - Occupational Exposure Limits	
Local name	2-Butoxyethanol (EGBE)
OEL TWA [ppm]	20 ppm
Notations and remarks	TLV® Basis: Eye & URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI
Regulatory reference	ACGIH 2022
Canada (Saskatchewan) - Occupational Exposure Limits	
Local name	2-Butoxyethanol (Butyl Cellosolve or EGBE)
OEL TWA [ppm]	20 ppm
OEL STEL [ppm]	30 ppm
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10
USA - ACGIH - Occupational Exposure Limits	
Local name	2-Butoxyethanol (EGBE)
ACGIH OEL TWA [ppm]	20 ppm
Remark (ACGIH)	TLV® Basis: Eye & URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI
Regulatory reference	ACGIH 2022
USA - ACGIH - Biological Exposure Indices	
Local name	2- BUTOXYETHANOL
BEI	200 mg/g Kreatinin Parameter: Butoxyacetic acid (BAA) (with hydrolysis) - Medium: urine - Sampling time: End of shift

# DR Foam

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

<b>2-Butoxyethanol ; Ethylene glycol monobutyl ether (111-76-2)</b>	
Regulatory reference	ACGIH 2022
<b>USA - OSHA - Occupational Exposure Limits</b>	
Local name	2-Butoxyethanol
OSHA PEL TWA [1]	240 mg/m <sup>3</sup>
OSHA PEL TWA [2]	50 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
<b>Glycerol (56-81-5)</b>	
<b>Canada (Alberta) - Occupational Exposure Limits</b>	
Local name	Glycerin mist
OEL TWA	10 mg/m <sup>3</sup>
Notations and remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.
Regulatory reference	Alberta Regulation 191/2021
<b>Canada (Quebec) - Occupational Exposure Limits</b>	
Local name	Glycerin (mist)
VEMP (OEL TWA)	10 mg/m <sup>3</sup>
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
<b>Canada (British Columbia) - Occupational Exposure Limits</b>	
Local name	Glycerin - mist
OEL TWA	10 mg/m <sup>3</sup> Total 3 mg/m <sup>3</sup> Respirable
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
<b>Canada (New Brunswick) - Occupational Exposure Limits</b>	
Local name	Glycerin mist
Notations and remarks	URT irr
<b>Canada (Nunavut) - Occupational Exposure Limits</b>	
Local name	Glycerin mist
OEL TWA	10 mg/m <sup>3</sup>
OEL STEL	20 mg/m <sup>3</sup>
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
<b>Canada (Northwest Territories) - Occupational Exposure Limits</b>	
Local name	Glycerin mist
OEL TWA	10 mg/m <sup>3</sup>
OEL STEL	20 mg/m <sup>3</sup>
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)
<b>Canada (Ontario) - Occupational Exposure Limits</b>	
Local name	Glycerin mist
OEL TWA	10 mg/m <sup>3</sup>

# DR Foam

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Glycerol (56-81-5)	
Regulatory reference	Ontario Occupational Exposure Limits under Regulation 833
Canada (Saskatchewan) - Occupational Exposure Limits	
Local name	Glycerin mist
OEL TWA	10 mg/m <sup>3</sup>
OEL STEL	20 mg/m <sup>3</sup>
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10
USA - OSHA - Occupational Exposure Limits	
Local name	Glycerin (mist)
OSHA PEL TWA [1]	15 mg/m <sup>3</sup> (Total dust) 5 mg/m <sup>3</sup> (Respirable fraction)
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

<b>Hand protection:</b>
Protective gloves
<b>Eye protection:</b>
Safety glasses
<b>Skin and body protection:</b>
Wear suitable protective clothing
<b>Respiratory protection:</b>
In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Appearance : Liquid.  
Color : Yellow  
Odor : Mild

# DR Foam

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Odor threshold	: No data available
pH	: No data available
pH solution	: 7 – 7.5 (10%)
Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: -74.8 °C
Boiling point	: 138.26 °C
Flash point	: > 62 °C
Auto-ignition temperature	: 238 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: 9.96 kPa
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Miscible with water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Keep away from heat. Keep away from ignition sources.
Incompatible materials	: Strong oxidizing agents.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

3-Amino-N-(carboxymethyl)-N,N-dimethyl 1-propanaminium N-coco acyl derivs., hydroxides, inner salts (61789-40-0)	
LD50 oral rat	4900 mg/kg Source: International Uniform Chemical Information Database
LD50 dermal rat	> 2000 mg/kg Source: OECD Screening Information Data Set
ATE CA (oral)	4900 mg/kg body weight
2-Butoxyethanol ; Ethylene glycol monobutyl ether (111-76-2)	
LD50 oral	1414 mg/kg body weight Animal: guinea pig, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1020 - 1961
LD50 dermal rat	> 2000 mg/kg Source: ECHA
ATE CA (oral)	1414 mg/kg body weight



# DR Foam

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

2-Butoxyethanol ; Ethylene glycol monobutyl ether (111-76-2)	
ATE CA (Gases (except aerosol dispensers and lighters))	4500 ppmV/4h
ATE CA (vapors)	11 mg/l/4h
ATE CA (dust,mist)	1.5 mg/l/4h

Glycerol (56-81-5)	
LD50 oral rat	27000 mg/kg Source: ECHA
LC50 Inhalation - Rat (Vapours)	> 2.75 mg/l Source: ECHA
ATE CA (oral)	27000 mg/kg body weight

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified

3-Amino-N-(carboxymethyl)-N,N-dimethyl 1-propanaminium N-coco acyl derivs., hydroxides, inner salts (61789-40-0)	
NOAEL (animal/female, F1)	1000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: other:

STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.

2-Butoxyethanol ; Ethylene glycol monobutyl ether (111-76-2)	
NOAEL (dermal,rat/rabbit,90 days)	> 150 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study), Remarks on results: other:
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard	: Not classified
Likely routes of exposure	: Dermal. Inhalation. Skin and eye contact.
Symptoms/effects after inhalation	: May cause respiratory irritation. May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Possible irritation of mucous membranes and digestive tract, nausea, vomiting.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: No data available on ecotoxicity.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

3-Amino-N-(carboxymethyl)-N,N-dimethyl 1-propanaminium N-coco acyl derivs., hydroxides, inner salts (61789-40-0)	
LC50 - Fish [1]	10 mg/l Source: International Uniform Chemical Information Database
EC50 - Crustacea [1]	6.5 mg/l Source: International Uniform Chemical Information Database
ErC50 algae	1.3 mg/l Source: SIDS
NOEC (chronic)	0.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
LOEC (chronic)	3.6 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

# DR Foam

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

2-Butoxyethanol ; Ethylene glycol monobutyl ether (111-76-2)	
LC50 - Fish [1]	1474 mg/l Source: ECHA
EC50 - Crustacea [1]	1800 mg/l Source: ECHA
EC50 72h - Algae [1]	911 mg/l Source: ECHA
NOEC chronic fish	≥ 100 mg/l Test organisms (species): Oryzias latipes Duration: '14 d'
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
Partition coefficient n-octanol/water (Log Pow)	0.81 Source: ECHA

Glycerol (56-81-5)	
LC50 - Fish [1]	54000 mg/l Source: ECHA
Partition coefficient n-octanol/water (Log Pow)	-1.75 Source: ECHA

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

2-Butoxyethanol ; Ethylene glycol monobutyl ether (111-76-2)	
Partition coefficient n-octanol/water (Log Pow)	0.81 Source: ECHA
Glycerol (56-81-5)	
Partition coefficient n-octanol/water (Log Pow)	-1.75 Source: ECHA

### 12.4. Mobility in soil

2-Butoxyethanol ; Ethylene glycol monobutyl ether (111-76-2)	
Partition coefficient n-octanol/water (Log Pow)	0.81 Source: ECHA
Glycerol (56-81-5)	
Partition coefficient n-octanol/water (Log Pow)	-1.75 Source: ECHA

### 12.5. Other adverse effects

Ozone : Not classified

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Regional legislation (waste) : Disposal must be done according to official regulations.  
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with TDG / DOT / IMDG / IATA

TDG	DOT	IMDG	IATA
14.1. UN number			
Not regulated for transport			

# DR Foam

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

TDG	DOT	IMDG	IATA
<b>14.2. Proper Shipping Name</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>Transport document description</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

### 14.6. Special precautions for user

#### TDG

No data available

#### DOT

No data available

#### IMDG

No data available

#### IATA

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. National regulations

**3-Amino-N-(carboxymethyl)-N,N-dimethyl 1-propanaminium N-coco acyl derivs., hydroxides, inner salts (61789-40-0)**

Listed on the Canadian DSL (Domestic Substances List)

**2-Butoxyethanol ; Ethylene glycol monobutyl ether (111-76-2)**

Listed on the Canadian DSL (Domestic Substances List)

**Glycerol (56-81-5)**

Listed on the Canadian DSL (Domestic Substances List)

### 15.2. International regulations

**3-Amino-N-(carboxymethyl)-N,N-dimethyl 1-propanaminium N-coco acyl derivs., hydroxides, inner salts (61789-40-0)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

# DR Foam

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### 2-Butoxyethanol ; Ethylene glycol monobutyl ether (111-76-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

### Glycerol (56-81-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

## SECTION 16: Other information

Issue date : 01-31-2022

### Full text of H-phrases:

H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H373	May cause damage to organs through prolonged or repeated exposure

Safety Data Sheet (SDS), Canada

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.